

It's how we keep you moving.



TOWBAR-ACTUATED BRAKES RADIUS-CUT CORNERS GALVANIZED ROLLERS

## FULL LINE FEATURES AND BENEFITS

- Integrated dolly and towbar work together seamlessly to prevent jackknifing and damage.
- U.S. military-grade powder coating provides endurance and customization, and optional hot-dip galvanizing further improves durability.
- Heavy-duty E-style and pintle hitches ensure secure connections
- Heavy-duty steel, 1/4-inch-perimeter frames with radius-cut corners protect the dollies while preventing potential aircraft damage.
- A foot-operated release on Double Ackerman models eases push-off.
- Lead-edge steel rollers on caster dollies eliminate 90 percent of potential damage.


## CONTAINER DOLLIES FEATURES AND BENEFITS

- Towbar-actuated brakes easily secure the front wheels on most models. The rear brake dolly offers lever-controlled rear-wheel brakes.
- A variety of containers fit models in the dolly series, including LD-1, LD-2, LD-3, LD-4, LD-8 and LD-11.
- Vertical restraints, manual over-center container locks or automatic ramp-on container locks secure containers in place.
- · Sealed bearings minimize maintenance and maximize longevity.
- Options suit any job need, from single to Double Ackerman steering to capacities ranging from 3,500 to 7,000 pounds (1,588 to 3,175 kilograms).
- On the turntable container dollies, flip-up stops secure LD-2 and LD-3 containers on the smaller model while the larger model uses ramp-on stops to facilitate loading LD-3, LD-4 and LD-8 containers. A transfer deck model offers stops that can be handle-actuated from either side.

## CARGO DOLLIES FEATURES AND BENEFITS

- Transport various sizes with ease, including 88-by-125-inch (224-by-318-centimeter) and 96-by-125-inch (244-by-318-centimeter) pallets and containers. The bed-type roller mode also handles LD-3 containers.
- Haul 15,000 pounds (6,804 kilograms) at once on these durable dollies that can be towed as fast as 25 mph (40 kph).
- Choose the loading and towing options to fit your operation, from side or end loading to side or end towing.
- A 20-foot-long cargo trailer model gives additional cargo transport capabilities.

TOWBAR RELEASE OVER-CENTER CONTAINER LOCKS CARGO TRAILER



- Load LD-2, LD-3, LD-4 and LD-11 containers, including two LD-2 or LD-3 containers at a time, to accommodate ever-changing workloads.
  It also takes on half, 88-by-125-inch (224-by-318-centimeter) and 96-by-125-inch (244-by-318-centimeter) pallets.
- Eight wheels and a heavy-duty steel frame easily handle loads as heavy as 15,000 pounds (6,804 kilograms).
- Tineway pockets allow the load to be easily moved in situations where a loader or transfer place isn't available.
- It's our same high quality at a value price for the absolute lowest total cost of ownership. Plus, they're ready to ship in stacks up to five high with no crating needed and roll-on/ roll-off capacity.

